Trifectiv® Plus Wound & Burn Care 450 mL (15.22 FL. OZ)
Instructions/package insert

Trifectiv® Plus Wound & Burn Care is ideal to treat burns, wounds, bites, scrapes, skin infections and other trauma to the skin. The active ingredient is hypochlorous acid (HOCl).

Trifectiv® Plus Wound & Burn Care helps to cleanse the wound and accomplish the goals of wound bed preparation in a safe, effective, and natural way. This solution of premium-grade hypochlorous acid (HOCl) is anti-bacterial and soothes the wound. This ensures better, faster wound healing with a lower risk of infection and a marked improvement in pain and odour in chronic non-healing wounds. The potential for scarring as the wound heals is also reduced.

Composition
Hypochlorous acid 380 mg/L and water (Aqua)

Medical device classification
Medical device Class C (ZA). Suitable for use on open wounds.
Wound irrigation solution, antimicrobial.

Indications
Any condition where the skin's integrity is compromised.

Contra indications
Do not use on the face for prolonged periods.
Expect diminished efficacy in the presence of cortisone and anti-inflammatory gel.

Warning
If the condition does not improve within 48-96 hours, consult with your health care practitioner.
Do not use the solution if it is beyond the expiry date.

Safety
The product is safe to use during pregnancy and lactation, as well as on children, babies and animals.

Quick guide
Note: wherever possible use with wet woven gauze for maximum contact with the wound. Where dressings are impractical, or for large areas of sunburn/rash/eczema, the product can be sprayed on every 30 minutes.

1. Spray the area with **Trifectiv® Plus Wound & Burn Care** and allow to air dry for a few minutes.
2. Spray 5 mL* of **Trifectiv® Plus Wound & Burn Care** onto 3-5 sheets of clean non-sterile woven gauze and place onto the wound area.
3. Cover the wet gauze with a crepe bandage or breathable dressing to secure the dressing.
4. Change dressing every day or every other day.

USAGE DIRECTIONS FOR SPECIFIC CONDITIONS

Fungal infections/fungal nail infections & athlete's foot
Spray **Trifectiv® Plus Wound & Burn Care** onto the affected areas after cleaning and drying the feet. Allow to dry naturally. Repeat twice per day. For infected nails, start by cleaning the nails with an appropriate nail cleaning solution such as nail polish remover. Spray the clean nails with **Trifectiv® Plus**. Allow to air dry naturally. Repeat twice a day.
Note: infection should clear within two weeks, however it is important to continue use of **Trifectiv® Plus Wound & Burn Care until healed nails have grown out completely.*

Cradle Cap
Gently wash the area with baby shampoo to remove any creams/sprays before the first application. Rinse well and pat dry. Spray **Trifectiv® Plus** onto the affected areas and allow to dry naturally. Repeat 4 times a day.
Note: infection should clear within two weeks, however it is important to continue use of **Trifectiv® Plus until the cradle cap has cleared up completely.*

Oral thrush
Spray **Trifectiv® Plus** directly into baby's mouth four times per day. Spray onto the nipples after each feed or at least four times per day. Remove any excess milk from the area with a tissue before spraying. Allow to dry naturally.

Nappy rash
Clean nappy area with warm water or wet wipes. Do not use soap. Gently pat dry with a clean dry towel. Once dry, spray the affected area with **Trifectiv® Plus** and allow to air dry completely. Once the skin is dry apply a barrier cream to the skin. Do not use an ointment such as petroleum jelly. Repeat above steps with every nappy change or at least once every 2 hours until the nappy rash has healed.

Sore throat
Spray **Trifectiv® Plus Wound & Burn Care** directly into the throat every 2 hours until the pain has subsided. It is completely safe if swallowed.

Inflamed or infectious skin conditions, sunburn, bites
Spray **Trifectiv® Plus Wound & Burn Care** onto the area every 30 minutes for the first day. There-after 4 times a day until recovered. Allow to dry naturally, do not rub.

Cuts, scrapes, grazes
Wounds should be cleaned prior to application of the first dressing of **Trifectiv® Plus Wound & Burn Care** being applied. Do this by washing the wound with a sponge and warm water and a little bubble bath. Ensure that no cleanser remains on the wound after rinsing with clean water (do not use saline). Pat the wound dry with a clean towel. No further cleaning of the wound will be necessary when using **Trifectiv® Plus Wound & Burn Care**. Thoroughly spray the affected area with **Trifectiv® Plus Wound & Burn Care** and proceed to dress with woven gauze as illustrated above.

Surgical wounds & stitches
Remove any surgical dressing the day following your surgery or as soon as possible there-after. Apply a single layer of non-medicated paraffin gauze over the stitches. Wet 3-5 layers of clean non-sterile woven gauze with 5 mL* of **Trifectiv® Plus Wound & Burn Care** and place this over the paraffin gauze. Hold in place with a breathable dressing. Change all dressings daily. Once the stitches are removed continue to apply the wet woven gauze dressing daily until the wound has healed.
If you don't have stitches follow the directions below for open wounds.

Open & chronic wounds, pressure sores
Spray over the affected area until moist. Spray 5 mL* of **Trifectiv® Plus Wound & Burn Care** onto 3-5 sheets of clean non-sterile woven gauze until the gauze is wet but not drenched. Apply the wet gauze directly onto the wound, ensuring that the entire wound bed is covered. For deeper wounds, ensure that the gauze is plugged into the wound so that the wet gauze has direct contact with all surfaces of the wound. Cover the wet gauze dressing with a crepe bandage or breathable dressing. Change dressings every day or if not possible, on alternative days. Clean the wound at least twice per week under running water for 2-3 minutes before applying a new dressing.
If the area is impractical to dress spray **Trifectiv® Plus Wound & Burn Care** every 30 minutes onto the wound and let it dry naturally. Patients should exercise regularly, to the extent that their condition allows.

Burns
Remove any dead skin or other debris. Spray **Trifectiv® Plus Wound & Burn Care** onto the affected area. Wet 3-5 layers of clean non-sterile woven gauze with 5 mL* of **Trifectiv® Plus Wound & Burn Care** and apply directly over the wound, making sure that the entire area is covered. Secure with a crepe bandage or breathable dressing. Change the dressing daily following the steps above.

A special note about paraffin gauze
If, after removing the surgical gauze dressing, bleeding occurs then a single layer of non-medicated paraffin gauze can be applied before applying the gauze dressing **BUT ONLY if ALL** necrotic material (dead tissue, dead biofilm, foreign bodies) has already been removed through wet-to-moist debridement. In paediatric burns a single layer of non-medicated paraffin gauze can be used before the gauze layers wet with **Trifectiv® Plus Wound & Burn Care** are applied. This will minimise discomfort during dressing changes.

Side effects and special precautions
Slight stinging may occur for the first day of use.
Do not use with waterproof or silver-impregnated dressing.
Do not mix into or use with or after disinfectants like saline, chlorhexidine, iodine, or any other branded disinfectant.
In some cases, additional sharp debridement of visible necrotic tissue may be required before the first application of Trifectiv® Plus Wound & Burn Care, for optimal results. Please consult with a medical professional if necessary.
THE BOTTLE IS GLASS please take care not to drop it.
Keep out of reach of babies and children.

Known symptoms of overdose
None known

Identification
Clear, colourless fluid

Presentation
450 mL (15.22 FL OZ) in a white **GLASS** bottle with trigger pump.

Storage instructions
Store at room temperature. Protect from direct sunlight.
Discard any unused product 12 months after opening.

Name and address of manufacturer
Thoclor Labs (Pty) Ltd, Unit E1 Stellenbosch Agri-Park, Baden Powell Drive, Lynedoch, Stellenbosch 7600, ZA
Bar code No. 6009900474472
Nappi 1102811-001
SAHPRA 733MD
Medical Device Class C (ZA)
ISO 13485:2016
For more information on specific applications please visit www.trifectiv.com/usage or scan the QR code

*Each dressing of 3-5 layers of woven gauze requires 5 mL of product – this equates to 10 pumps of the 450 mL bottle per dressing. This ensures optimal wetting of the gauze for debridement and healing. This is approx. 90 dressings per bottle.

Trifectiv® Plus Wound & Burn Care 450 mL (15.22 FL. OZ)
Instruksie/insetsel

Trifectiv® Plus Wound & Burn Care is ideaal om brandwonde, oop wonde, byte, skrape, velinfeksies en ander beserings van die vel te behandel. Die aktiewe bestanddeel is premium graad hipochloorsuur (HOCl).
Trifectiv® help met die skoonmaak van die wond en berei die wond voor vir genesing op 'n natuurlike en effektiewe manier. Die oplossing van HOCl het 'n sterk antimikrobiese werking en kalmeer die wond. Dit verseker beter, vinniger genesing met 'n baie laer risiko vir infeksie en 'n verbetering in pyn en reuk in voorheen nie-genesende wonde.

Samestelling
Hipochloorsuur 380 mg/L en water (Aqua)

Mediese toestel klassifikasie
Mediese Toestel Klas C (ZA). Geskik vir gebruik op oop wonde.
Wond uitspoel middel met antimikrobiese eienskappe.

Indikasies vir gebruik
Enige toestand waar die vel se integriteit versteur is.

Kontraindikasies
Vermy langtermyn aanwending op die gesig vel.
Verwag verminderde effektiwiteit in die teenwoordigheid van kortisoon en anti-inflammatoriese jel.

Waarskuwing
Indien die toestand waarvoor die produk gebruik word nie verbeter binne 48 tot 96 uur nie, spreek asb. u mediese praktisyn.
Moenie gebruik indien die produk se vervaldatum oorskrei is nie.

Veiligheidsaspekte
Die produk is veilig om te gebruik gedurende swangerskap en borsvoeding. Dit kan ook op kinders, babas & diere aangewend word.

VINNIGE GIDS
Nota: waar moontlik gebruik saam met nat geweefde gaas vir maksimum kontak met die wond. Vir groot areas van sonbrand/uitslag/ekseem, kan die produk elke 30 minute opgespuit word.

1. Sproei die Trifectiv® Plus Wound & Burn Care oor die beseerde area en laat dit natuurlik droog word.
2. Maak 3-5 lae skoon geweefde gaas nat* met Trifectiv® Plus Wound & Burn Care en gebruik dit om die wondarea te bedek.
3. Bedek die wond en nat gaasdeppers met n kruipverband.
4. Vervang die wondbedekking daagliks, of ten minste elke tweede dag.

GEBRUIKSAANWYSINGS VIR SPESIFIEKE TOESTANDE

Atleetsvoet
Wend Trifectiv® Plus aan oor die infeksie area 2 x per dag. Maak seker dat die voete skoon en droog is voor aanwending.

Swam naelinfeksies
Maak die naels eers skoon met 'n toepaslike produk soos naellak verwyderaar. Spuit die skoon naels met Trifectiv® Plus Wound & Burn Care. Laat dit natuurlik droog word. Herhaal twee keer per dag.
** Opmerking: infeksie sal gewoonlik binne twee weke opklaar, maar dit is belangrik om voort te gaan met die gebruik van Trifectiv® Plus Wound & Burn Care totdat gesonde naels heeltemal uitgegroei het.*

Swam infeksies soos skilfer kors
Was die area liggies met babasjampoe om enige rome/spuitmiddels te verwyder voor die eerste toediening. Spoel goed af en droog liggies af. Spuit **Trifectiv® Plus** op die aangetaste areas en laat dit natuurlik droog word. Herhaal 4 x per dag. ** Let wel: infeksie behoort binne twee weke op te klaar, maar dit is belangrik om voort te gaan met die gebruik van **Trifectiv® Plus** gebruik totdat die skilfer kors heeltemal opgeklaar het.*

Mond sproei
Spuit **Trifectiv® Plus** vier keer per dag direk in baba se mond. Spuit op die tepels na elke voeding of ten minste vier keer per dag. Verwyder enige oortollige melk uit die area met 'n sneesdoekie voor bespuiting. Laat natuurlik droog word.

Brand boudjies
Maak die area skoon met louwarm water of klam skoonmaak doekies. Moet asseblief nie seep gebruik nie. Maak saggies droog met 'n skoon, droë handdoek. Sodra die vel droog is, spuit die aangetaste area met **Trifectiv® Plus** en laat dit op n natuurlike manier heeltemal droog word. Sodra die vel droog is, smeer 'n laagie room op die vel. Moet asseblief nie 'n salf soos petroleumjellie gebruik nie. Herhaal bogenoemde stappe met elke doek omruil of ten minste een keer elke 2 uur totdat die brand boudjies genees is.

Seer keel
Spuit **Trifectiv® Plus** direk in die keel elke 2 ure totdat die seer keel beter voel. Dit is heeltemal veilig as dit ingesluk word.

Ontsteekte of aansteeklike veltoestande, sonbrand, insek byte
Spuit **Trifectiv® Plus** elke 30 minute oor die area. Laat dit natuurlik droog word.

Snye, skrape, skaafwonde
Wonde moet skoongemaak word voordat die eerste verband van **Trifectiv® Plus** toegedien word. Gebruik 'n spons, warm water, en 'n bietjie borrelbad seep om die wond skoon te was. Maak seker geen reiniger bly op die wond nadat dit met skoon water afgespoel is (moenie soutwater gebruik nie). Druk die wond versigtig droog met 'n skoon handdoek. Geen verdere skoonmaak van die wond sal nodig wees wanneer **Trifectiv® Plus** gebruik word nie. Spuit die aangetaste area deeglik met **Trifectiv® Plus** en gaan voort om dit met geweefde gaas te verbind soos geïllustreer.

Chirurgiese wonde en steke
Verwyder enige chirurgiese verband die dag na jou operasie of so gou as moontlik daarna. Wend 'n enkele laag nie-gemedieerde paraffien gaas oor die steke aan. Maak 3-5 lae skoon nie-gesteriliseerde geweefde gaas nat met 5 ml* **Trifectiv® Plus** en plaas dit oor die paraffien gaas. Hou in plek met 'n lugdeurlaatbare verband. Verander alle verbande daagliks. Sodra die steke verwyder is, gaan voort om die nat geweefde gaasverband daagliks aan te wend totdat die wond genees het.
As jy nie steke het nie, volg die aanwysings hieronder vir oop wonde.

Oop en chroniese wonde en druksere
Spuit dit op die aangetaste gebied totdat die wond nat is. Spuit 5 mL* van **Trifectiv® Plus** op 3-5 lae skoon nie-gesteriliseerde geweefde gaas totdat die gaas nat maar nie deurweek is nie. Plaas die nat gaas direk op die wond en sorg dat die hele aangetaste gebied bedek is. Vir dieper wonde, maak seker dat die gaas in die wond ingeprop word sodat die nat gaas direk kontak maak met alle oppervlaktes van die wond. Bedek die nat gaas met 'n crepe verband of lugdeurlaatbare verband. Indien moontlik, verander die verband elke dag of ten minste op alternatiewe dae. Maak die wond minstens twee keer per week skoon onder lopende water vir 2-3 minute voordat 'n nuwe verband opgesit word. Indien die area onprakties is om te verbind, spuit **Trifectiv® Plus** elke 30 minute op die wond en laat dit natuurlik droog word. Pasiënte moet gereeld oefen, in die mate wat hul toestand dit toelaat.

Brandwonde
Verwyder enige los vel en vreemde voorwerpe. Wend **Trifectiv® Plus** aan deur dit op die gebrande area te spuit. Maak 3-5 lae skoon nie-gesteriliseerde geweefde gaas nat met 5 mL* van **Trifectiv® Plus** en wend dit direk op die wond aan, maak seker dat die hele area bedek is. Verbind met 'n crepe verband of lugdeurlaatbare verband. Vervang die verband daagliks.

'n Spesiale opmerking oor paraffien gaas
As die wond bloei na die verwydering van die gaasverband, kan 'n enkele laag nie-gemedieerde paraffien gaas toegedien word voordat die gaasverband aangesit word, **MAAR SLEGS** as AL die nekrotiese materiaal (dooie weefsel, dooie biofilm, vreemde voorwerpe) reeds deur die daaglikse aanwending van **Trifectiv® Plus** gaasverbande verwyder is. In **pediatriese** brandwonde kan 'n enkele laag nie-gemedieerde paraffien gaas op die wond gesit word voordat die gaas lae wat met **Trifectiv® Plus** nat gemaak is, toegedien word. Dit sal ongemak verminder wanneer die verband vervang word.

Newe-effekte en spesiale voorsorgmaatreëls
Die eerste dag van gebruik kan effens branderig voel.
Moet dit nie saam met waterdigte verbande gebruik nie.
Moenie **Trifectiv® Plus** saam met silwer-bevattende verbande gebruik nie.
Moenie **Trifectiv® Plus** meng of gebruik met of na sout, jodium, chloorheksidien of enige ander handelsmerk-ontsmettingsmiddel nie.
Vir optimale genesing word aanbeveel dat enige sigbare nekrotiese weefsel, en vreemde materiaal verwyder word voordat behandeling met **Trifectiv® Plus** begin word. Raadpleeg asseblief 'n dokter indien nodig.
Die bottel is GLAS.. Wees asb. versigtig!
Hou buite die bereik van babas en kinders

Simptome van oordosering
Geen

Voorkoms van produk
Deursigtige, helder skoon vloeistof

Houer
450 mL (15.22 FL. OZ) oplossing in 'n wit **GLAS** bottel met spuitpomp.

Berging
Bêre bottel by kamer temperatuur. Hou bottel uit direkte sonlig. Gooi enige ongebruikte produk weg 12 maande na opening.

Naam en adres van vervaardiger
Thoclor Labs (Pty) Ltd, Unit E1 Stellenbosch Agri-Park,
Baden Powell Drive, Lynedoch, Stellenbosch 7600, ZA
Strepieskode No. 6009900474472
Nappi 1102811-001
SAHPRA 733MD · Mediese Toestel Klas C (ZA)
ISO 13485:2016
Besoek www.trifectiv.com/usage of gebruik die QR-kode

*Elke verband van 3-5 lae geweefde gaas benodig 5 mL produk – dit is gelyk aan 10 pompe van die 450 mL bottel per verband.
Dit verseker optimale benatting van die gaas vir genesing = ongeveer 90 verbande per bottel.